



Your partner in progress

www.stanleyoil.org


AUTOMOTIVE
LUBRICANTS


MARINE
LUBRICANTS


INDUSTRIAL
LUBRICANTS


BASE
OILS


AUTOMOTIVE
GREASE


ADDITIVES
& CHEMICALS


REFINING

PRODUCT - TECHNICAL SUMMARY

CATEGORY	BRAND	SAE GRADE	API & OTHER SPECS	TECHNICAL SPECIFICATIONS AS PER ASTM		
				V(MIN)	V(100)	FLASH POINT (MIN)
DIESEL ENGINE OILS	SHD TURBO PLUS	15 W40	API-CI-4/SL	143	15	230
	SHD TURBO	15 W40	API-CF-4/SJ	136	15	230
	SHD 50	50	API-CF	95	18	225
CAR ENGINE OILS	BHP RACING	10W40 FULLY SYNTHETIC	API-SN	143	15	230
	BHP SPORT	5W30 FULLY SYNTHETIC	API-SN/CF	136	15	230
	BHP	20W50	API-SL/CF	95	18	225
MOTORCYCLE ENGINE OILS	ZORR 4T RACING	10W50	API-SJ & JASO MA2	160	18	240
	ZORR AT	20W40	API-SJ & JASO MA2	110	14	230
GEAR OILS	STANGEAR 140	140	GL4	85	24-32	215
	STANGEAR 90	90	GL3	85	13.5-24	215
	ATF	N/A	TYPE A	Available on request		
CATEGORY	BRAND	SAE GRADE		NLGI	COPPER STRIP CORROSION	
GREASES	STANGREASE MP3	N/A		NLGI3	15	
CATEGORY	BRAND	SAE GRADE	API & OTHER SPECS	BOILING POINT	SPECIFIC GRAVITY	PH
BRAKE FLUIDS	DOT3	SAE J1703	FMVSS116 DOT3	205+	1.5	7-11.5
	DOT4	SAE J1704	FMVSS116 DOT4	230+	1.5	7-11.5
COOLANT	STANCOOL		GREEN COLOUR	220+	1.031	8.2

World-class
Lubricants



Driven with
100% Reliability



Head Office
P.O.Box 21516
Dubai, UAE
Tel: +971-4-2272425
Fax: +971-4-2233189
E-mail: stannet@emirates.net.ae

Henkel Intl. Lubricant Industry LLC
P.O.Box 5082,
Ajman, UAE
Tel: +971-6 -7433894
Tel: +971-6 -7480721
E-mail: stannet@emirates.net.ae



www.stanleyoil.org

your partner
in progress



STANLEY Group of Companies

STANLEY GROUP is managed by highly qualified, skilled and experienced teams in respective departments. Our blending excellence transformed into total reliability to customers and partners globally and is being spearheaded leadership of Managing Director Mr. P. S. Kohli (Mr. Rippy Singh).





STANLEY companies

STANLEY TRADING LLC

Stanley lubricants is the flag ship organization of Stanley group. We are marketing lubricants globally and our strong team of distributors, agents is continuing business with us from the inception of the company. We have a strong team of professionals supported with quality brands and good marketing.

HENKEL INTERNATIONAL LUBRICANTS INDUSTRY LLC

Manufacturing of lubricants and toll blending
Since inception of our venture in the lubricant Industry, we have multiplied our growth manifold. We have achieved business turnover of over AED 325 Million in Financial Year 2013-2014. We are producing world class Fully Synthetic, Semi Synthetic, Mineral Oil based Automotive, Industrial, Greases, Brake fluids, Coolants for big brands in Africa, Middle East & Asia.

AL SARAB AUTO PARTS

Trading of Automotive Parts & Lubricants.

HAMBURG PETROLEUM FZC

Hamburg petroleum is catering to energy industry and we are trading petroleum derivatives. Following products are mainly traded by us:

- Fuel Oils
- Residue Fuel Oils
- Bitumen Bitumen Pitch Residue

HENKEL INTERNATIONAL LUBRICANT FZE.

Henkel International is dedicated to base oil industry & we are directly importing base oils from refiners and supplying to global markets. viz. Base oil Group I, Group II, Group III, Group III+, Group IV and Group V base oils.

For over 20 years, even before our move towards manufacturing of lubricants under HENKEL INTERNATIONAL and trading of all related products under STANLEY TRADING LLC has been well established as a global trader and wholesaler in Auto Parts, Auto Accessories, Car Care Products, Batteries, Hand tools, spare parts etc.

STANLEY owns and maintains a stock inventory of up to AED 40 Million at any given point of time in warehouses and tanks in UAE.





manufacturing, quality control & Logistics

- Modern Blending Plant for producing world class lubricants with strong quality control lab for guarantee of products and satisfaction to our customers and partners.
- Plants certified by ISO 9001:2008 & endorsed by ECAS:UAE.S/GSO 1785:2007
- We have a modern laboratory for lubricant testing equipped with advanced state of the art test and measuring equipment where we do in depths physical and chemical testing, classification testing, insulating liquids testing, elemental analysis (spectrometry), functional testing, analytical testing, determination of thermal and oxidation stability of the Lubricants, Greases and Brake Fluids.
- Annual production of lubricants is in the tune of 60,000 MT.
- Optimum inventory levels of Base Oils of all grades (Group I,II,III,IV), Lubricant Additives and packaging materials.
- Own fleet of tankers for strong supply chain management of Base Oils and other raw materials.
- We have huge ware houses spread in United Arab Emirates (Sharjah, Hamriya Freezone, Ajman & Dubai), India, Kenya and Ghana.

product portfolio

With a complete range of technically advanced Engine oils, Gear & Transmission oils, Greases, Brake Fluids & Coolants Stanley is dedicated to keeping vehicles working for longer.



STANLEY



APPLICATION

Stanley SHD is a high quality Mono-grade Diesel Engine Oil designed for all kinds of trucks, tractors, Buses, LCV's, having naturally aspirated engines and gensets.

SHD BENEFITS

- Longer Engine Life
- Protection at High Temperatures
- Reduced Maintenance Costs


TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 50
- API -CF
- Good anti-wear and anti-corrosion properties.

The market for commercial vehicle operators is changing day by day. These changes & the challenges which they bring with them are being driven by a number of key factors exerting an influence worldwide.

Our response is to apply proven technical expertise to develop solutions that deliver measurable results for your business.

Our diesel engine oils, backed by our technology & expertise ensure extended drain periods depending on the vehicle – which means lower servicing costs and less time off the road. Increased efficiency, extended service intervals, greater reliability and longer engine life.



diesel engine oils



STANLEY SHD TURBO

Superior Engine Life

APPLICATION

Stanley SHD Turbo is a premium multi-grade Diesel Engine Oil specially formulated for turbocharged Diesel Engines. Recommended for use in all modern commercial vehicles like Trucks, Buses of all international manufacturers & all applications which require a API-CF4 specification.

SHD TURBO BENEFITS

The main causes of damage in modern engines are abrasive wear, deposits and corrosion. Stanley SHD Turbo actively fights the main causes of engine damage to deliver enhanced engine & turbo charger life by:

- Preventing the agglomeration of soot as well as removing harmful soot particles from metal surfaces.
- Providing a protective film on the moving metal surface which resists break down even under difficult conditions.

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 15W40
- API-CF4/SJ
- Meets the specifications of ACEA HDD E7-08, MB 228.3, MAN 3275, MTU OIL CATEGORY 2, DEUTZ DQC -III -05, VOLVO VDS 3,
- MACK EOM PLUS, CUMMINS CES 20076/77/78, Excellent viscosity stability in operation Excellent detergency level
- High dispersancy level
- Excellent anti-wear and anti-corrosion properties.



STANLEY SHD TURBO PLUS

Superior Engine Life

APPLICATION

Stanley SHD TURBO PLUS is suitable for the most modern Diesel engines, fitted on trucks, buses, construction or agricultural machinery, with or without turbo compressors, inter-coolers or sophisticated injection systems.

SHD TURBO PLUS BENEFITS


Turbo charged engines work at higher temperatures and produce more deposits. These deposits can reduce engine power and performance. Stanley SHD TURBO PLUS actively fights the main causes of deposit formation to deliver outstanding engine & turbocharger life by

- Providing very high protection against wear, in all conditions of services, thus guaranteeing an extended engine & turbo charger life span.
- Increases engine power retention
- Increases fuel efficiency.

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 15W40
- API-CI4 /SJ
- Meets the specifications of ACEA HDD E7-08, MB 228.3, MAN 3275, MTU OIL CATEGORY 2, DEUTZ DQC -III -05, VOLVO VDS 3, MACK EOM PLUS, CUMMINS CES 20076/77/78, CAT ECF - 1a, RN RLD -2, DDC 93K215, DHD 1, ACEA GASOLINE / LIGHT DIESEL A3 / B4 -10
- Very high dispersancy and detergency levels Prevents clogging preventing the agglomeration of soot as well as removing harmful soot particles from metal surfaces.

STANLEY



Continued advances in global legislation has set the four-stroke car engine oil industry some challenging targets that require components to retain key performance characteristics and properties over extended periods of time. Stanley products are specifically developed using the latest technology to exceed the latest API and ACEA specifications.

The range includes fully synthetic, semi synthetic and mineral grades.

Stanley car engine oils are designed to cover servicing requirements from older vehicles to the latest high technology designs. The range provides a cost effective and affordable solution for the trade and workshop professional.

APPLICATION


Stanley BHP 20 W 50 is a multi-grade engine lubricant for passenger cars. It has been specially formulated for petrol engines and can also be used for naturally aspirated diesel engines. It is particularly recommended for "stop/start" operation of high performance engines.

BHP BENEFITS

- Extends Engine Life
- Engineered to protect against sludge build up.

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 20W50
- API -SJ/CF
- High level of detergency/dispersancy minimizes low temperature sludge formation leading to cleaner engines
- Reduction in internal friction leading to improved fuel economy



car
engine
oils



APPLICATION

Stanley BHP SPORT is a premium engine oil with high anti-wear technology which provides strong protection for modern FSI, TDI and turbocharged engines. It is particularly recommended for all high performance gasoline engines (supercharged, injection, with or without overhead camshaft) of passenger cars and delivery vans in the arduous of service conditions.

BHP SPORT BENEFITS

- Reduces friction to help improve fuel consumption
- More effective at removing sludge from gasoline engines than a normal mineral oil.
- Resists oil degradation throughout the oil-change interval.
- Smoother, quieter drive.
- Greater fuel efficiency

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 10W40
- API-SN
- Exceptional resistance to oxidation
- Fluidity at low temperature facilitating cold starts. But also very resistant at the highest temperatures.

APPLICATION

Stanley BHP RACING is a specifically formulated synthetic engine oil for high-performance racing and modified fuel-injection gasoline engines and those which are fitted with catalytic converters and blow-by-gas recirculation.

BHP RACING BENEFITS


- Delivers race proven power and performance Proven to maintain turbo boost pressure Provides protection when running fast, hot or hard
- Provides confidence that your engine won't let you down when you need it most

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 5W40
- API-SN
- Meets International specifications of Porsche A40, VW 502/505, MB 229.5, Renault 700/710 Ensures good engine cleanliness by draining engine particulates due to its special dispersant properties.
- Real long-term wear protection of Engine parts (distribution, ring, plunger and liner) increasing engine life.
- Greater bearing and wear protection under extreme performance and racing conditions.



STANLEY



Not just the engine and gearbox, but also the chain and the fork of a motorcycle need the right lubricants. STANLEY offers a range that meets the requirements of daily use of all types of two-wheeler and all engine types. This range complies with the most stringent international standards.

APPLICATION


Stanley ZORR 4T is a specifically formulated motorcycle engine oil to ensure all round protection for your bike & ensures that you get the best performance from your motorcycle.

ZORR 4T BENEFITS

- Engine protection always whether on or off & when running fast, hot or hard
- Lesser wear

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 20W40, 10W40, 20W50
- API-SL, API-SM
- JASO MA2
- During start-up, when most wear happens, the specially engineered ZORR 4T formula provides a layer of protection from the moment you start the engine.
- During normal riding when the engine is running hot, ZORR 4T protects the engine from high temperature deposits.



motorcycle engine oils



**STANLEY
ZORR 4T
RACING**

APPLICATION

Stanley ZORR 4T RACING is a specifically formulated synthetic engine oil & delivers high-performance racing performance from your motorcycle.

ZORR 4T RACING BENEFITS

- Fully synthetic 4-stroke motorcycle engine oil featuring the latest Technology.
- Race derived formulation technology for maximum engine acceleration.
- Extreme high temperature air-cooled and water-cooled engine performance.
- Excellent shear stability to prevent viscosity break down.
- Complies with requirements of catalyst equipped engines.

TECHNICAL PERFORMANCE & SPECIFICATIONS

- SAE 10W/50
- API-SL
- JASO MA2
- Ensures good engine cleanliness by draining engine particulates due to its special dispersancy properties.
- Real long-term wear protection of engine parts.
- Greater bearing and wear protection under extreme performance and racing conditions.

STANLEY



STANGEAR 90 EP STANGEAR 140 EP



High performance gear oils designed for use in manual transmissions and hypoid axles requiring extreme pressure lubricants. Well proven superior performance, provides trouble-free operation, Imparts exceptional load carrying ability. Friction modified for mild limited slip applications.



STANLEY ATF

Premium automatic transmission fluid, technology blended with selected synthetic base fluids. For use in automatic transmissions, torque converters, transfer boxes etc. Provides excellent oxidation stability, stable friction properties and outstanding low temperature fluidity

STANLEY



STANLEY DOT 3 STANLEY DOT 4

We have both DOT3 & DOT 4 brake fluids. They are high boiling point brake fluids suitable for all braking systems where a non-mineral fluid is required. Meets all SAE & FMVSS requirements.

- Ideal for use in ABS systems.
- High Wet boiling point.
- Enhancing performance against water absorption therefore improves resistance to vapour lock.

STANCOOL

A high quality, corrosion-inhibited, with a distinct green colour, ethylene glycol based automotive antifreeze/coolant.

- Provides excellent protection under normal ambient temperatures.
- Offers protection from freezing down to -45°C
- Excellent corrosion protection. Superior anti-foam properties
- No silicates, nitrates, amines, borates or phosphates, leading to improved stability and freedom from scale and deposits.



STANGREASE MP3

Stanley MP3 is multipurpose lithium grease of outstanding performance with a distinctive amber colour. A universal, grease suitable for use on all anti-friction and plain bearings. Also highly suitable for the lubrication of universal joints and electric motor bearings.

- Longer bearing life
- Good mechanical stability and tenacity.
- Extreme pressure (EP) properties providing excellent load carrying characteristics.
- Excellent resistance to corrosion.

INDUSTRIAL & MARINE LUBRICANTS

Stanley offers full range of Industrial and Marine Lubricants viz. Hydraulic Oils (ISO 32, 46, 68, 100), Soluble & Neat Cutting Oils, Quenching Oils, Industrial Gear Oils (ISO 100, 220, 320, 460), TPEO Oils and Cylinder Oils etc.

